

PREVENTING PINKEYE IS AS EASY AS



VACCINATE

Vaccinate with **Piliguard® Pinkeye Triview** to provide pinkeye fighting antibodies in the tears that bathe the eye. This cell-free bacterin cross-reacts with 103 different strains of Pinkeye causing bacteria for broad spectrum cross-reactivity with field strains.



STOP THE FLIES

Flies can rapidly spread pinkeye bacteria throughout the herd. Tag and Pour with **Apply Double Barrel™ VP ear tags** and **Ultra Boss® pour-on** for up to five months of face fly and horn fly control.



MANAGE THE ENVIRONMENT

Flies are attracted to damaged and watery eyes. Reduce irritants like seed heads, pollen and UV light by mowing tall pastures and adding shade where needed.



For complete pinkeye control from every angle, contact your Intervet/Schering-Plough Animal Health representative or visit us online. StopCattlePinkeye.com

PREVENTING PINKEYE IS AS EASY AS



VACCINATE

Vaccinate with **Piliguard® Pinkeye Triview** to provide pinkeye fighting antibodies in the tears that bathe the eye. This cell-free bacterin cross-reacts with 103 different strains of Pinkeye causing bacteria for broad spectrum cross-reactivity with field strains.



STOP THE FLIES

Flies can rapidly spread pinkeye bacteria throughout the herd. Tag and Pour with **Apply Double Barrel™ VP ear tags** and **Ultra Boss® pour-on** for up to five months of face fly and horn fly control.



MANAGE THE ENVIRONMENT

Flies are attracted to damaged and watery eyes. Reduce irritants like seed heads, pollen and UV light by mowing tall pastures and adding shade where needed.



For complete pinkeye control from every angle, contact your Intervet/Schering-Plough Animal Health representative or visit us online. StopCattlePinkeye.com

PREVENTING PINKEYE IS AS EASY AS



VACCINATE

Vaccinate with **Piliguard® Pinkeye Triview** to provide pinkeye fighting antibodies in the tears that bathe the eye. This cell-free bacterin cross-reacts with 103 different strains of Pinkeye causing bacteria for broad spectrum cross-reactivity with field strains.



STOP THE FLIES

Flies can rapidly spread pinkeye bacteria throughout the herd. Tag and Pour with **Apply Double Barrel™ VP ear tags** and **Ultra Boss® pour-on** for up to five months of face fly and horn fly control.



MANAGE THE ENVIRONMENT

Flies are attracted to damaged and watery eyes. Reduce irritants like seed heads, pollen and UV light by mowing tall pastures and adding shade where needed.



For complete pinkeye control from every angle, contact your Intervet/Schering-Plough Animal Health representative or visit us online. **StopCattlePinkeye.com**